

Journal of **MOLECULAR** **BIOLOGY**

EDITOR-IN-CHIEF

J. C. KENDREW

ASSISTANT EDITOR

S. BRENNER

EDITORIAL BOARD

R. L. Baldwin
M. L. Birnstiel
J. M. Bishop
M. S. Bretscher
C. R. Cantor
L. Caro
G. N. Cohen
J. Davies
W. F. Dove
G. A. Gilbert
W. Gilbert
A. Klug
D. E. Koshland
S. Lowey
M. F. Moody
D. Nathans
D. C. Phillips
F. M. Richards
P. M. B. Walker
J. C. Wang
S. M. Weissman

VOLUME 99

25 November 1975 to 25 December 1975



ACADEMIC PRESS

London New York San Francisco

Copyright © 1975, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain



CONTENTS OF VOLUME 99

NUMBER 1, 25 NOVEMBER 1975

BURRIDGE, K. and BRAY, D., Purification and Structural Analysis of Myosins from Brain and Other Non-muscle Tissues	1
JACK, A. and HARRISON, S. C., On the Interpretation of Small-angle X-ray Solution Scattering from Spherical Viruses	15
PREMILAT, S. and ALBISER, G., X-ray Diffraction Study of Three DNA Fibres with Different Base Compositions	27
CHIU, N., CHIU, A. and SUYAMA, Y., Native and Imported Transfer RNA in Mitochondria	37
AMOS, L. A. and KLUG, A., Three-dimensional Image Reconstructions of the Contractile Tail of T4 Bacteriophage	51
<i>Appendix: AMOS, L. A., Combination of Data from Helical Particles: Correlation and Selection</i>	<i>65</i>
VEATCH, W. R., MATHIES, R., EISENBERG, M. and STRYER, L., Simultaneous Fluorescence and Conductance Studies of Planar Bilayer Membranes Containing a Highly Active and Fluorescent Analog of Gramicidin A . . .	75
BARTOK, K., HARBERS B. and DENHARDT, D. T., Isolation and Characterization of Self-complementary Sequences from ϕ X174 Viral DNA	93
EISENBERG, S., HARBERS, B., HOURS, C. and DENHARDT, D. T., The Mechanism of Replication of ϕ X174 DNA. XII. Non-random Location of Gaps in Nascent ϕ X174 RF II DNA	107
McFADDEN, G. and DENHARDT, D. T., The Mechanism of Replication of ϕ X174 DNA. XIII. Discontinuous Synthesis of the Complementary Strand in an <i>Escherichia coli</i> Host with a Temperature-sensitive Polynucleotide Ligase . .	125
OHLENDORF, D. H., COLLINS, M. L. and BANASZAK, L. J., Analysis of Optical Diffraction Patterns from Electron Micrographs of Lattices	143
OHLENDORF, D. H., COLLINS, M. L., PURONEN, E. O., BANASZAK, L. J. and HARRISON, S. C., Crystalline Lipoprotein-Phosphoprotein Complex in Oocytes from <i>Xenopus laevis</i> : Determination of Lattice Parameters by X-ray Crystallography and Electron Microscopy	153

YOUNG, E. T. and MENARD, R. C., Analysis of the Template Activity of Bacteriophage T7 Messenger RNAs during Infection of Male and Female Strains of <i>Escherichia coli</i>	167
SCHWARTZ, M., Reversible Interaction between Coliphage Lambda and its Receptor Protein	185
FAYE, G., KUJAWA, C., DUJON, B., BOLOTIN-FUKUHARA, M., WOLF, K., FUKUHARA, H. and SLONIMSKI, P. P., Localization of the Gene Coding for the Mitochondrial 16 S Ribosomal RNA using ρ^- Mutants of <i>Saccharomyces cerevisiae</i>	203

NUMBER 2, 5 DECEMBER 1975

WINTER, W. T., SMITH, P. J. C. and ARNOTT, S., Hyaluronic Acid: Structure of a Fully Extended 3-fold Helical Sodium Salt and Comparison with the Less Extended 4-fold Helical Forms	219
GREENE, P. J., POONIAN, M. S., NUSSBAUM, A. L., TOBIAS, L., GARFIN, D. E., BOYER, H. W. and GOODMAN, H. M., Restriction and Modification of a Self-complementary Octanucleotide Containing the <i>EcoRI</i> Substrate	237
KIRSCHNER, M. W., HONIG, L. S. and WILLIAMS, R. C., Quantitative Electron Microscopy of Microtubule Assembly <i>in vitro</i>	263
FUKE, M. and BUSCH, H., A T ₁ Ribonuclease Fragment Present in 18 S Ribosomal RNA of Novikoff Rat Ascites Hepatoma Cells and Absent from 18 S Ribosomal RNA of HeLa Cells	277
COMER, M. M., FOSS, K. and McCLAIN, W. H., A Mutation of the Wobble Nucleotide of a Bacteriophage T4 Transfer RNA	283
WLODAWER, A., HODGSON, K. O. and BENSCH, K., Studies of Two Crystal Forms of L-Glutaminase-asparaginase from <i>Acinetobacter glutaminasificans</i>	295
PONGS, O., STÖFFLER, G. and LANKA, E., The Codon Binding Site of the <i>Escherichia coli</i> Ribosome as Studied with a Chemically Reactive A-U-G Analog	301
TSENG, B. Y. and GOULIAN, M., DNA Synthesis in Human Lymphocytes: Intermediates in DNA Synthesis, <i>in vitro</i> and <i>in vivo</i>	317

LETTERS TO THE EDITOR

TSENG, B. Y. and GOULIAN, M., Evidence for Covalent Association of RNA with Nascent DNA in Human Lymphocytes	339
O'SULLIVAN, M. A., HOWARD, K. and SUEOKA, N., On the Bidirectional Replication of the <i>Bacillus subtilis</i> Chromosome	347

KELLS, S. S., OHTSUKI, M. and HASELKORN, R., The Structure of Bacteriophage T4 Gene 12 Protein	349
--	-----

NUMBER 3, 15 DECEMBER 1975

SCHIAVO, F. L., FAVRE, R., KASAI, T., CASCINO, A., GUARDIOLA, J., CARO, L. and IACCARINO, M., The $\phi 80$ <i>adilv</i> Phage and its Use to Detect Messenger RNA Related to Isoleucine-Valine Metabolism	353
--	-----

CHAN, T.-S., MODEL, P. and ZINDER, N. D., <i>In vitro</i> Protein Synthesis Directed by Separated Transcripts of Bacteriophage f1 DNA	369
---	-----

ÖSTERBERG, R., SJÖBERG, B., RYMO, L. and LAGERKVIST, U., Small-angle X-ray Scattering Study of the Interaction between Lysine Transfer RNA Ligase from Yeast and Transfer RNA	383
---	-----

<i>Appendix:</i> ÖSTERBERG, R., The Determination of Stability Constants from Small-angle X-ray Scattering Data and the Analysis of pH-dependent Macromolecular Equilibria	394
--	-----

SUNDKVIST, I. C. and STAEHELIN, T., Structure and Function of Free 40 S Ribosome Subunits: Characterization of Initiation Factors	401
---	-----

PRIBNOW, D., Bacteriophage T7 Early Promoters: Nucleotide Sequences of Two RNA Polymerase Binding Sites	419
---	-----

GILLIS, J. M. and O'BRIEN, E. J., The Effect of Calcium Ions on the Structure of Reconstituted Muscle Thin Filaments	445
--	-----

O'BRIEN, E. J., GILLIS, J. M. and COUCH, J., Symmetry and Molecular Arrangement in Paracrystals of Reconstituted Muscle Thin Filaments	461
--	-----

DARKE, A., FINER, E. G., MOORHOUSE, R. and REES, D. A., Studies of Hyaluronate Solutions by Nuclear Magnetic Relaxation Measurements. Detection of Covalently-defined, Stiff Segments within the Flexible Chains	477
--	-----

DUNN, J. J. and STUDIER, F. W., Effect of RNase III Cleavage on Translation of Bacteriophage T7 Messenger RNAs	487
--	-----

LETTER TO THE EDITOR

NORRESTAM, R., STENSLAND, B. and BRÄNDÉN, C.-I., On the Conformation of Cyclic Iron-containing Hexapeptides: The Crystal and Molecular Structure of Ferri-chrysin	501
---	-----

NUMBER 4, 25 DECEMBER 1975

YOON, K., TURNER, D. H. and TINOCO, I., Jr, The Kinetics of Codon-Anti-codon Interaction in Yeast Phenylalanine Transfer RNA	507
CORY, S. and ADAMS, J. M., The Modified 5'-Terminal Sequences in Messenger RNA of Mouse Myeloma Cells	519
BRESLAUER, K. J., STURTEVANT, J. M. and TINOCO, I., Jr, Calorimetric and Spectroscopic Investigation of the Helix-to-Coil Transition of a Ribonucleotide: rA ₇ U ₇	549
LYMM, R. W., Low-angle X-ray Diagrams from Skeletal Muscle: The Effect of AMP-PNP, A Non-hydrolyzed Analogue of ATP	567
JENKINS, J. A., BLUNDELL, T. L., TICKLE, I. J. and UNGARETTI, L., The Low Resolution Structure Analysis of an Acid Proteinase from <i>Endothia parasitica</i>	583
KUTTER, E., BEUG, A., SLUSS, R., JENSEN, L. and BRADLEY, D., The Production of Undegraded Cytosine-containing DNA by Bacteriophage T4 in the Absence of dCTPase and Endonucleases II and IV, and its Effects on T4-directed Protein Synthesis	591
PEPE, F. A. and DRUCKER, B., The Myosin Filament. III. C-protein	609
KUIPER, H. A., GAASTRA, W., BEINTEMA, J. J., VAN BRUGGEN, E. F. J., SCHEPMAN, A. M. H. and DRENT, J., Subunit Composition, X-ray Diffraction, Amino Acid Analysis and Oxygen Binding Behavior of <i>Panulirus interruptus</i> Hemocyanin	619
LAKE, J. A. and KAHAN, L., Ribosomal Proteins S5, S11, S13 and S19 Localized by Electron Microscopy of Antibody-labeled Subunits	631
<i>Appendix: Reproducible Identification of Asymmetric Structural Features in the Quasi-symmetrical View (Projection) of Escherichia coli Small Ribosomal Subunits</i>	
	641
KIKUCHI, Y. and KING, J., Genetic Control of Bacteriophage T4 Baseplate Morphogenesis. I. Sequential Assembly of the Major Precursor, <i>in vivo</i> and <i>in vitro</i>	645
KIKUCHI, Y. and KING, J., Genetic Control of Bacteriophage T4 Baseplate Morphogenesis. II. Mutants Unable to Form the Central Part of the Baseplate	673
KIKUCHI, Y. and KING, J., Genetic Control of Bacteriophage T4 Baseplate Morphogenesis. III. Formation of the Central Plug and Overall Assembly Pathway	695

McCLAIN, W. H., BARRELL, B. G. and SEIDMAN, J. G., Nucleotide Alterations in Bacteriophage T4 Serine Transfer RNA that Affect the Conversion of Precursor RNA into Transfer RNA	717
SEIDMAN, J. G., BARRELL, B. G. and McCLAIN, W. H., Five Steps in the Conversion of a Large Precursor RNA into Bacteriophage Proline and Serine Transfer RNAs	733
<i>Appendix: Sequence Derivation of Bacteriophage T4 Proline Transfer RNA</i>	753
LANSMAN, R. A. and CLAYTON, D. A., Selective Nicking of Mammalian Mitochondrial DNA <i>in vivo</i> : Photosensitization by Incorporation of 5-Bromo-deoxyuridine	761
LANSMAN, R. A. and CLAYTON, D. A., Mitochondrial Protein Synthesis in Mouse L-cells: Effect of Selective Nicking of Mitochondrial DNA	777
BOLLEN, A., CABEZÓN, T., DE WILDE, M., VILLARROEL, R. and HERZOG, A., Alteration of Ribosomal Protein S17 by Mutation Linked to Neamine Resistance in <i>Escherichia coli</i> . I. General Properties of <i>neaA</i> Mutants	795
LETTERS TO THE EDITOR	
SUGIHARA, A., TSUJISAKA, Y., IWAI, M., TOMINAGA, Y., OKUMURA, S., MATSUURA, Y., TANAKA, N. and KAKUDO, M., Crystallographic Data and Circular Dichroism Spectrum of Lipase from <i>Geotrichum candidum</i> Link	807
MURPHY, W. I., ATTARDI, B., TU, C. and ATTARDI, G., Evidence for Complete Symmetrical Transcription <i>in vivo</i> of Mitochondrial DNA in HeLa Cells	809



Digitized by the Internet Archive
in 2026

Index to Volume 99

- Acid proteinase from *Endothia parasitica*, low resolution structure analysis, 583
- Acinetobacter glutaminasificans* L-glutaminase-asparaginase, studies of two crystal forms, 295
- ADAMS, J. M. (see also CORY, S.), 519
- ALBISSER, G. (see also PREMILAT, S.), 27
- Alteration of ribosomal protein S17 by mutation linked to neamine resistance in *Escherichia coli*.
I. General properties of *neal* mutants, 795
- Amino acid analysis, subunit composition, X-ray diffraction and oxygen binding behavior of *Panulirus interruptus* hemocyanin, 619
- AMOS, L. A., Combination of data from helical particles; correlation and selection (appendix to AMOS, L. A. & KLUG, A., Three-dimensional image reconstructions of the contractile tail of T4 bacteriophage, 51), 65
- AMOS, L. A. & KLUG, A., Three-dimensional image reconstructions of the contractile tail of T4 bacteriophage, 51
- AMP-PNP (a non-hydrolyzed analogue of ATP), effect on skeletal muscle, as revealed in low-angle X-ray diagrams, 567
- Antibody-labeled subunits used in localization by electron microscopy of ribosomal proteins S5, S11, S13 and S19, 631
- ARNOTT, S. (see also WINTER, W. T.), 219
- Assembly of microtubules *in vitro*, quantitative electron microscopic study, 263
- ATP non-hydrolyzed analogue, AMP-PNP, effect on skeletal muscle, as revealed in low-angle X-ray diagrams, 567
- ATTARDI, B. (see also MURPHY, W. I.), 809
- ATTARDI, G. (see also MURPHY, W. I.), 809
- A-U-G analog, chemically reactive, used in study of the codon binding site of the *Escherichia coli* ribosome, 301
- Bacillus subtilis*, bidirectional replication of the chromosome, 347
- Bacteriophage f1 DNA, *in vitro* protein synthesis directed by separated transcripts, 369
- ϕ 80 λ *div* and its use to detect mRNA related to isoleucine-valine metabolism, 353
- T2 and T4 proline and serine precursor RNAs, 733
- T4 baseplate morphogenesis, genetic control, 645, 673, 695
- — gene 12 protein structure, 349
- — production of undegraded cytosine-containing DNA in the absence of dCTPase and endonucleases II and IV, and its effects on T4-directed protein synthesis, 591
- — proline tRNA, sequence derivation, 753
- — serine tRNA, nucleotide alterations affect the conversion of precursor RNA into tRNA, 717
- —, three-dimensional image reconstructions of the contractile tail, 51
- tRNA, a mutation of the wobble nucleotide, 283
- T7 early promoters: nucleotide sequences of two RNA polymerase binding sites, 419
- mRNAs, analysis of the template activity during infection of male and female strains of *Escherichia coli*, 167
- —, effect of RNase III cleavage on translation, 487
- BANASZAK, L. J. (see also OHLENDORF, D. H.), 143, 153
- BARRELL, B. G. (see also MCCLAIN, W. H.), 717
- (see also SEIDMAN, J. G.), 733
- BARTOK, K., HARBERS, B. & DENHARDT, D. T., Isolation and characterization of self-complementary sequences from ϕ X174 viral DNA, 93
- Base composition, possible correlation with conformations of double helices, X-ray diffraction study of three DNA fibres, 27
- Baseplate of bacteriophage T4, genetic control of morphogenesis. I. Sequential assembly of the major precursor, *in vivo* and *in vitro*, 645
- — — — — II. Mutants unable to form the central part of the baseplate, 673
- — — — — III. Formation of the central plug and overall assembly pathway, 695
- BEINTEMA, J. J. (see also KUIPER, H. A.), 619
- BENSCH, K. (see also WLODAWER, A.), 295
- BEUG, A. (see also KUTTER, E.), 591

- Binding site, codon, of the *Escherichia coli* ribosome as studied with a chemically reactive A-U-G analog, 301
- sequence of RNA polymerase; bacteriophage T7 early promoters, 419
- BLUNDELL, T. L. (see also JENKINS, J. A.), 583
- BOLLEN, A., CABEZÓN, T., DE WILDE, M., VILLARROEL, R. & HERZOG, A., Alteration of ribosomal protein S17 by mutation linked to neamine resistance in *Escherichia coli*. I. General properties of *neaA* mutants, 795
- BOLOTIN-FUKUHARA, M. (see also FAYE, G.), 203
- BOYER, H. W. (see also GREENE, P. J.), 237
- BRADLEY, D. (see also KUTTER, E.), 591
- Brain and other non-muscle tissues, purification and structural analysis of myosins, 1
- BRÁNDÉN, C.-I. (see also NORRESTAM, R.), 501
- BRAY, D. (see also BURRIDGE, K.), 1
- BRESLAUER, K. J., STURTEVANT, J. M. & TINOCO, I., Jr. Calorimetric and spectroscopic investigation of the helix-to-coil transition of a ribo-oligonucleotide: rA₇U₇, 549
- 5-Bromodeoxyuridine incorporation photosensitizes mammalian mitochondrial DNA *in vivo*, 761
- BURRIDGE, K. & BRAY, D., Purification and structural analysis of myosins from brain and other non-muscle tissues, 1
- BUSCH, H. (see also FUKU, M.), 277
- C-protein and the myosin filament, 609
- CABEZÓN, T. (see also BOLLEN, A.), 795
- Calcium ions, their effect on the structure of reconstituted muscle thin filaments, 445
- Calorimetric and spectroscopic investigation of the helix-to-coil transition of a ribo-oligonucleotide: rA₇U₇, 549
- CARO, L. (see also SCHIAVO, F. L.), 353
- CASCINO, A. (see also SCHIAVO, F. L.), 353
- CHAN, T.-S., MODEL, P. & ZINDER, N. D., *In vitro* protein synthesis directed by separated transcripts of bacteriophage ϕ 1 DNA, 369
- CHIU, A. (see also CHIU, N.), 37
- CHIU, N. CHIU, A. & SUYAMA, Y., Native and imported tRNA in mitochondria, 37
- Chromosome of *Bacillus subtilis*, bidirectional replication, 347
- Circular dichroism spectrum and crystallographic data of lipase from *Geotrichum candidum* Link, 807
- CLAYTON, D. A. (see also LANSMAN, R. A.), 761, 777
- Cleavage by RNase III, effect on translation of bacteriophage T7 mRNAs, 487
- Codon-anticodon interaction kinetics in yeast phenylalanine tRNA, 507
- Codon binding site of the *Escherichia coli* ribosome as studied with a chemically reactive A-U-G analog, 301
- Coliphage λ , reversible interaction with its receptor protein, 185
- COLLINS, M. L. (see also OHLENDORF, D. F.), 143, 153
- COMER, M. M., FOSS, K. & MCCLAIN, W. H., A mutation of the wobble nucleotide of a bacteriophage T4 tRNA, 283
- Conductance and fluorescence studies, simultaneous, of planar bilayer membranes containing a highly active and fluorescent analog of gramicidin A, 75
- CORY, S. & ADAMS, J. M., The modified 5'-terminal sequences in mRNA of mouse myeloma cells, 519
- COUCH, J. (see also O'BRIEN, E. J.), 461
- Covalent association of RNA with nascent DNA in human lymphocytes, 339
- Crystal forms, two, of L-glutaminase-asparaginase from *Acinetobacter glutaminasificans*, 295
- Crystallographic data and circular dichroism spectrum of lipase from *Geotrichum candidum* Link, 807
- Cyclic iron-containing hexapeptides: the crystal and molecular structure of ferriochrysin, 501
- Cytosine-containing DNA, undegraded, production by bacteriophage T4 in the absence of dCTPase and endonucleases II and IV, and its effects on T4-directed protein synthesis, 591
- DARKE, A., FINER, E. G., MOORHOUSE, R. & REES, D. A., Studies of hyaluronate solutions by nuclear magnetic relaxation measurements. Detection of covalently-defined, stiff segments within the flexible chains, 477
- dCTPase and endonucleases II and IV, the production of undegraded cytosine-containing DNA by bacteriophage T4 in their absence, and its effects on T4-directed protein synthesis, 591

- DE WILDE, M. (see also BOLLEN, A.), 795
- DENHARDT, D. T. (see also BARTOK, K.), 93
- , (see also EISENBERG, S.), 107
- , (see also McFADDEN, G.), 125
- Deoxynucleic acid, cytosine-containing, undegraded, production by bacteriophage T4 in the absence of dCTPase and endonucleases II and IV, and its effects on T4-directed protein synthesis, 591
- fibres, three, with different base compositions, X-ray diffraction study, 27
- , mitochondrial, effect of selective nicking on mitochondrial protein synthesis in mouse L-cells, 777
- , mitochondrial, in HeLa cells, evidence for complete symmetrical transcription *in vivo*, 809
- , mitochondrial, mammalian, selective nicking *in vivo*: photosensitization by incorporation of 5-bromodeoxyuridine, 761
- , nascent, evidence for covalent association with RNA in human lymphocytes, 339
- of bacteriophage f1, *in vivo* protein synthesis directed by separated transcripts, 369
- , ϕ X174, replication mechanism: discontinuous synthesis of the complementary strand in an *Escherichia coli* host with a temperature-sensitive polynucleotide ligase, 125
- , ϕ X174 viral, isolation and characterization of self-complementary sequences, 93
- , ϕ X174 RF II, nascent, non-random location of gaps, 107
- synthesis in human lymphocytes: intermediates in DNA synthesis, *in vitro* and *in vivo*, 317
- DRENTH, J. (see also KUIPER, H. A.), 619
- DRUCKER, B. (see also PEPE, F. A.), 609
- DUJON, B. (see also FAYE, G.), 203
- DUNN, J. J. & STUDIER, F. W., Effect of RNase III cleavage on translation of bacteriophage T7 mRNAs, 487
- Eco*RI reactions with d(pT-G-A-A-T-T-C-A), 237
- EISENBERG, M. (see also VEATCH, W. R.), 75
- EISENBERG, S., HARBERS, B., HOURS, C. & DENHARDT, D. T., The mechanism of replication of ϕ X174 DNA. XII. Non-random location of gaps in nascent ϕ X174 RF II DNA, 107
- Electron micrographs of lattices, analysis of optical diffraction patterns, 143
- microscopic and X-ray crystallographic determination of lattice parameters of crystalline lipoprotein-phosphoprotein complex in oocytes from *Xenopus laevis*, 153
- microscopy of antibody-labeled subunits used in localization of ribosomal proteins S5, S11, S13, and S19, 631
- , quantitative, of microtubule assembly *in vitro*, 263
- Endonucleases II and IV and dCTPase, the production of undegraded cytosine-containing DNA by bacteriophage T4 in their absence, and its effects on T4-directed protein synthesis, 591
- Endothia parasitica* acid proteinase, low resolution structure analysis, 583
- Escherichia coli*, alteration of ribosomal protein S17 by mutation linked to neamine resistance; general properties of *neaA* mutants, 795
- , analysis of the template activity of bacteriophage T7 mRNAs during infection of male and female strains, 167
- ribosome, the codon binding site studied with a chemically reactive A-U-G analog, 301
- small ribosomal subunits, reproducible identification of asymmetric structural features in the quasi-symmetrical view (projection), 641
- with a temperature-sensitive polynucleotide ligase, host in discontinuous synthesis of the complementary strand of ϕ X174 DNA, 125
- f1 (see also Bacteriophage), 369
- FAVRE, R. (see also SCHIAVO, F. L.), 353
- FAYE, G., KUJAWA, C., DUJON, B., BOLOTIN-FUKUHARA, M., WOLF, K., FUKUHARA, H. & SLONIMSKI, P. P., Localization of the gene coding for the mitochondrial 16 S ribosomal RNA using rho-mutants of *Saccharomyces cerevisiae*, 203
- Ferriichrysin structure, crystal and molecular: the conformation of cyclic iron-containing hexapeptides, 501
- Filament, myosin, and C-protein, 609
- Filaments, thin, of muscle, reconstituted, symmetry and molecular arrangement in paracrystals, 461
- — — —, the effect of calcium ions on their structure, 445
- FINER, E. G. (see also DARKE, A.), 477

- Fluorescent analog of gramicidin A, simultaneous fluorescence and conductance studies of planar bilayer membrane, 75
- FOSS, K. (see also COMER, M. M.), 283
- Free 40 S ribosome subunits, structure and function: characterization of initiation factors, 401
- FUKE, M. & BUSCH, H., A T₁ ribonuclease fragment present in 18 S ribosomal RNA of Novikoff rat ascites hepatoma cells and absent from 18 S ribosomal RNA of HeLa cells, 277
- FUKUHARA, H. (see also FAYE, G.), 203
- GAASTRA, W. (see also KUIPER, H. A.), 619
- Gaps, non-random location in nascent ϕ X174 RF II DNA, 107
- GARFIN, D. E. (see also GREENE, P. J.), 237
- Gene coding localization for the mitochondrial 16 S ribosomal RNA using rho-mutants of *Saccharomyces cerevisiae*, 203
- 12 protein of bacteriophage T4, structure, 349
- Genetic control of bacteriophage T4 baseplate morphogenesis. I. Sequential assembly of the major precursor, *in vivo* and *in vitro*, 645
- — — — — II. Mutants unable to form the central part of the baseplate, 673
- — — — — III. Formation of the central plug and overall assembly pathway, 695
- Geotrichum candidum* Link, crystallographic data and circular dichroism spectrum of its lipase, 807
- GILLIS, J. M. & O'BRIEN, E. J., The effect of calcium ions on the structure of reconstituted muscle thin filaments, 445
- (see also O'BRIEN, E. J.), 461
- L-Glutaminase-asparaginase from *Acinetobacter glutaminasificans*, studies of two crystal forms, 295
- GOODMAN, H. M. (see also GREENE, P. J.), 237
- GOULIAN, M. (see also TSENG, B. Y.), 317, 339
- Gramicidin A, simultaneous fluorescence and conductance studies of planar bilayer membranes containing a highly active and fluorescent analog, 75
- GREENE, P. J., POONIAN, M. S., NUSSBAUM, A. L., TOBIAS, L., GARFIN, D. E., BOYER, H. W. & GOODMAN, H. M., Restriction and modification of a self-complementary octanucleotide containing the *eco*RI substrate, 237
- GUARDIOLA, J. (see also SCHIAVO, F. L.), 353
- Hairpin structures of phage ϕ X174, 93
- HARBERS, B. (see also BARTOK, K.), 93
- (see also EISENBERG, S.), 107
- HARRISON, S. C. (see also JACK, A.), 15
- (see also OHLENDORF, D. H.), 153
- HASELKORN, R. (see also KELLS, S. S.), 349
- HeLa cells, evidence for complete symmetrical transcription *in vivo* of mitochondrial DNA, 809
- —, 18 S ribosomal RNA does not contain a T₁ ribonuclease fragment that is present in 18 S ribosomal RNA of Novikoff rat ascites hepatoma cells, 277
- Helical particles, correlation and selection of data used in three-dimensional image reconstructions, 65
- Helix-to-coil, transition of a ribo-oligonucleotide, rA₇U₇, calorimetric and spectroscopic investigation, 69
- Hemocyanin of *Panulirus interruptus*, subunit composition, X-ray diffraction, amino acid analysis and oxygen binding behavior, 619
- HERZOG, A. (see also BOLLEN, A.), 795
- Hexapeptides, iron-containing, cyclic, their conformation; the crystal and molecular structure of ferrichrysin, 501
- HODGSON, K. O. (see also WLODAWER, A.), 295
- HONIG, L. S. (see also KIRSCHNER, M. W.), 263
- HOURS, C. (see also EISENBERG, S.), 107
- HOWARD, K. (see also O'SULLIVAN, M. A.), 347
- Human lymphocytes, evidence for covalent association of RNA with nascent DNA, 339
- —, intermediates in DNA synthesis, *in vitro* and *in vivo*, 371
- Hyaluronate solutions, studies by nuclear magnetic relaxation measurements. Detection of covalently-defined, stiff segments within the flexible chains, 477
- Hyaluronic acid: structure of a fully extended 3-fold helical sodium salt and comparison with the less extended 4-fold helical forms, 219
- IACCARINO, M. (see also SCHIAVO, F. L.), 353
- Initiation factor characterization; structure and function of free 40 S ribosome subunits, 401

- Intermediates in DNA synthesis in human lymphocytes, *in vitro* and *in vivo*, 317
- Iron-containing cyclic hexapeptides, their conformation; the crystal and molecular structure of ferrichrysin, 501
- Isoleucine-valine metabolism, related mRNA detected by $\phi 80\lambda$ *dilv* phage, 353
- IWAI, M. (see also SUGIHARA, A.), 807
- JACK, A. & HARRISON, S. C., On the interpretation of small-angle X-ray solution scattering from spherical viruses, 15
- JENKINS, J. A., BLUNDELL, T. L., TICKLE, I. J. & UNGARETTI, L., The low resolution structure analysis of an acid proteinase from *Endothia parasitica*, 583
- JENSEN, L. (see also KUTTER, E.), 591
- KAHAN, L. (see also LAKE, J. A.), 631
- KAKUDO, M. (see also SUGIHARA, A.), 807
- KASAI, T. (see also SCHIAVO, F. L.), 353
- KELLS, S. S., OHTSUKI, M. & HASELKORN, R., The structure of bacteriophage T4 gene 12 protein, 349
- KIKUCHI, Y. & KING, J., Genetic control of bacteriophage T4 baseplate morphogenesis. I. Sequential assembly of the major precursor, *in vivo* and *in vitro*, 645
 ————. II. Mutants unable to form the central part of the baseplate, 673
 ————. III. Formation of the central plug and overall assembly pathway, 695
- Kinetics of codon-anticodon interaction in yeast phenylalanine tRNA, 507
- KING, J. (see also KIKUCHI, Y.), 645, 673, 695
- KIRSCHNER, M. W., HONIG, L. S. & WILLIAMS, R. C., Quantitative electron microscopy of microtubule assembly *in vitro*, 263
- KLUG, A. (see also AMOS, L. A.), 51
- KUIPER, H. A., GAASTRA, W., BEINTEMA, J. J., VAN BRUGGEN, E. F. J., SCHEPMAN, A. M. H. & DRENTH, J., Subunit composition, X-ray diffraction, amino acid analysis and oxygen binding behavior of *Panulirus interruptus* hemocyanin, 619
- KUJAWA, C. (see also FAYE, G.), 203
- KUTTER, E., BEUG, A., SLUSS, R., JENSEN, L. & BRADLEY, D., The production of undegraded cytosine-containing DNA by bacteriophage T4 in the absence of dCTPase and endonuclease II and IV, and its effects on T4-directed protein synthesis, 591
- L-cells of mouse, mitochondrial protein synthesis: effect of selective nicking of mitochondrial DNA, 777
- λ (see also Coliphage), 185
- LAGERKVIST, U. (see also ÖSTERBERG, R.), 383
- LAKE, J. A. & KAHAN, L., Ribosomal proteins S5, S11, S13 and S19 localized by electron microscopy of antibody-labeled subunits, 631
- LANKA, E. (see also PONGS, O.), 301
- LANSMAN, R. A. & CLAYTON, D. A., Mitochondrial protein synthesis in mouse L-cells: effect of selective nicking of mitochondrial DNA, 777
 ———, Selective nicking of mammalian mitochondrial DNA *in vivo*: photosensitization by incorporation of 5-bromodeoxyuridine, 761
- Lattice parameters of crystalline lipoprotein-phosphoprotein complex in oocytes from *Xenopus laevis*, determination by X-ray crystallography and electron microscopy, 153
- Lattices, analysis of optical diffraction patterns from electron micrographs, 143
- Ligase, lysine tRNA, from yeast, interaction with tRNA, small-angle X-ray scattering study, 383
 —, polynucleotide, temperature-sensitive, of host *Escherichia coli*; discontinuous synthesis of the complementary strand of ϕ X174 DNA, 125
- Lipase from *Geotrichum candidum* Link, crystallographic data and circular dichroism spectrum, 807
- Lipoprotein-phosphoprotein crystalline complex in oocytes from *Xenopus laevis*; determination of lattice parameters by X-ray crystallography and electron microscopy, 153
- Localization of ribosomal proteins S5, S11, S13, and S19 by electron microscopy of antibody-labeled subunits, 631
 — of the gene coding for the mitochondrial 16 S ribosomal RNA using rho-mutants of *Saccharomyces cerevisiae*, 203
- LYMM, R. W., Low-angle X-ray diagrams from skeletal muscle: the effect of AMP-PNP, a non-hydrolyzed analogue of ATP, 567

- Lymphocytes, human, evidence for covalent association of RNA with nascent DNA, 339
 — —, intermediates in DNA synthesis, *in vitro* and *in vivo*, 317
 Lysine tRNA ligase from yeast, interaction with tRNA studied by small-angle X-ray scattering, 383
- McCLAIN, W. H., BARRELL, B. G. & SEIDMAN, J. G., Nucleotide alterations in bacteriophage T4 serine tRNA that affect the conversion of precursor RNA into tRNA 717
 —. (see also COMER, M. M.), 283
 —. (see also SEIDMAN, J. G.), 733
- McFADDEN, G. & DENHARDT, D. T., The mechanism of replication of ϕ X174 DNA. XIII. Discontinuous synthesis of the complementary strand in an *Escherichia coli* host with a temperature-sensitive polynucleotide ligase, 125
- Mammalian mitochondrial DNA, selective nicking *in vivo*: photosensitization by incorporation of 5-bromodeoxyuridine, 761
- MATHIES, R. (see also VEATCH, W. R.), 75
- MATSUURA, Y. (see also SUGIHARA, A.), 807
- Membrane, bilayer, planar, containing a highly active and fluorescent analog of gramicidin A, simultaneous fluorescence and conductance studies, 75
- MENARD, R. C. (see also YOUNG, E. T.), 167
- Messenger RNAs of bacteriophage T7, analysis of template activity during infection of male and female strains of *Escherichia coli*, 167
 — — — —, effect of RNase III cleavage on translation, 487
- Messenger RNA of mouse myeloma cells, modified 5'-terminal sequences, 519
 — — related to isoleucine-valine metabolism, detection by ϕ 80 λ *dilv* phage, 353
- Microtubule assembly *in vitro*, quantitative electron microscopic study, 263
- Mitochondrial DNA, effect of selective nicking on mitochondrial protein synthesis in mouse L-cells, 777
 — — in HeLa cells, evidence for complete symmetrical transcriptions *in vivo*, 809
 — —, mammalian, selective nicking *in vivo*: photosensitization by incorporation of 5-bromodeoxyuridine, 761
 — protein synthesis in mouse L-cells: effect of selective nicking of mitochondrial DNA, 777
 — 16 S ribosomal RNA, localization of the gene coding using rho-mutants of *Saccharomyces cerevisiae*, 203
 — tRNA, native and imported, 37
- MODEL, P. (see also CHAN, T.-S.), 369
- MOORHOUSE, R. (see also DARKE, A.), 477
- Morphogenesis of bacteriophage T4 baseplate, genetic control, 645, 673, 695
- Mouse L-cells, mitochondrial protein synthesis: effect of selective nicking of mitochondrial DNA, 777
 — myeloma cells, modified 5'-terminal sequences in mRNA, 519
- MURPHY, W. I., ATTARDI, B., TU, C. & ATTARDI, G., Evidence for complete symmetrical transcription *in vivo* of mitochondrial DNA in HeLa cells, 809
- Muscle, skeletal, low-angle X-ray diagrams: the effect of AMP-PNP, a non-hydrolyzed analogue of ATP, 567
 — thin filaments, reconstituted, effect of calcium ions on their structure, 445
 — — —, symmetry and molecular arrangements in paracrystals, 461
- Mutants, *neaA*, general properties; alteration of ribosomal protein S17 by mutation linked to neamine resistance in *Escherichia coli*, 795
 — unable to form the central part of the bacteriophage T4 baseplate, 673
- Mutation of the wobble nucleotide of a bacteriophage T4 tRNA, 283
- Myeloma cells of mouse, modified 5'-terminal sequences in mRNA, 519
- Myosin filament. III. C-protein, 609
- Myosins from brain and other non-muscle tissues, purification and structural analysis, 1
- neaA* mutants: alteration of ribosomal protein S17 by mutation linked to neamine resistance in *Escherichia coli*, 795
- Neamine resistant mutants of *Escherichia coli* show alteration of ribosomal protein S17; general properties of *neaA* mutants, 795
- Nicking, selective, of mammalian mitochondrial DNA *in vivo*: photosensitization by incorporation of 5-bromodeoxyuridine, 761
 — — — —, effect on mitochondrial protein synthesis in mouse L-cells, 777
- Non-muscle myosins, purification and structural analysis, 1

- NORRESTAM, R., STENSLAND, B. & BRÄNDÉN, C.-I., On the conformation of cyclic iron-containing hexapeptides: the crystal and molecular structure of ferriochrysin, 501
- Novikoff rat ascites hepatoma cells, 18 S ribosomal RNA contains a T₁ ribonuclease fragment that is not present in 18 S ribosomal RNA of HeLa cells, 277
- Nuclear magnetic relaxation studies of hyaluronate solutions. Detection of covalently-defined, stiff segments within the flexible chains, 477
- Nucleotide alterations on bacteriophage T4 serine tRNA that affect the conversion of precursor RNA into tRNA, 717
- sequence of two RNA polymerase binding sites; bacteriophage T7 early promoters, 419
- NUSSBAUM, A. L. (see also GREENE, P. J.), 237
- O'BRIEN, E. J., GILLIS, J. M. & COUCH, J., Symmetry and molecular arrangement in paracrystals of reconstituted muscle thin filaments, 461
- (see also GILLIS, J. M.), 445
- Octanucleotide, self-complementary, containing the *Eco*RI substrate, restriction and modification, 237
- OHLENDORF, D. H., COLLINS, M. L. & BANASZAK, L. J., Analysis of optical diffraction patterns from electron micrographs of lattices, 143
- , —, PURONEN, E. O., BANASZAK, L. J. & HARRISON, S. C., Crystalline lipoprotein-phosphoprotein complex in oocytes from *Xenopus laevis*: determination of lattice parameters by X-ray crystallography and electron microscopy, 153
- OHTSUKI, M. (see also KELLS, S. S.), 349
- OKUMURA, S. (see also SUGIHARA, A.), 807
- Optical diffraction patterns from electron micrographs of lattices, 143
- Oocytes from *Xenopus laevis*, determination of lattice parameters of crystalline lipoprotein-phosphoprotein complex by X-ray crystallography and electron microscopy, 153
- ÖSTERBERG, R., The determination of stability constants from small-angle X-ray scattering data and the analysis of pH-dependent macromolecular equilibria (*Appendix* to ÖSTERBERG, R. *et al.*, 383), 394
- , SJÖBERG, B., RYMO, L. & LAGERKVIST, U., Small-angle X-ray scattering study of the interaction between lysine tRNA ligase from yeast and tRNA, 383
- O'SULLIVAN, M. A., HOWARD, K. & SUEOKA, N., On the bidirectional replication of the *Bacillus subtilis* chromosome, 347
- Oxygen binding behavior, subunit composition, X-ray diffraction and amino acid analysis of *Panulirus interruptus* hemocyanin, 619
- ϕ 80 λ *dlv* (see also Bacteriophage), 353
- ϕ X174 DNA replication mechanism: discontinuous synthesis of the complementary strand in an *Escherichia coli* host with a temperature-sensitive polynucleotide ligase, 125
- RF II DNA, nascent, non-random location of gaps, 107
- viral DNA, isolation and characterization of self-complementary sequences, 93
- Panulirus interruptus* hemocyanin, subunit composition, X-ray diffraction, amino acid analysis and oxygen binding behavior, 619
- Paracrystals of reconstituted muscle thin filaments, symmetry and molecular arrangements, 461
- Pathway for assembly of bacteriophage T4 baseplate, 695
- PEPE, F. A. & DRUCKER, B., The myosin filament. III. C-protein, 609
- pH-dependent macromolecular equilibria, 394
- Phenylalanine tRNA of yeast, the kinetics of codon-anticodon interaction, 507
- Photosensitization of mammalian mitochondrial DNA by incorporation of 5-bromodeoxyuridine, 761
- Polymerase for RNA, binding site sequences; bacteriophage T7 early promoters, 419
- PONGS, O., STÖFFLER, G. & LANKA, E., The codon binding site of the *Escherichia coli* ribosome as studied with a chemically reactive A-U-G analog, 301
- POONIAN, M. S. (see also GREENE, P. J.), 237
- Precursor, major, of bacteriophage T4 baseplate, sequential assembly *in vivo* and *in vitro*, 645
- RNA, conversion into tRNA affected by nucleotide alterations in bacteriophage T4 serine tRNA, 717
- —, large, five steps in its conversion into bacteriophage proline and serine tRNAs, 733
- PREMILAT, S. & ALBISER, G., X-ray diffraction study of three DNA fibres with different base compositions, 27
- PRIBNOW, D., Bacteriophage T7 early promoters: nucleotide sequences of two RNA polymerase binding sites, 419

- Proline and serine rRNAs of bacteriophage T2 and T4, five steps in their formation from a large precursor RNA, 733
- tRNA of bacteriophage T4, sequence derivation, 753
- Promoters, early, of bacteriophage T7: nucleotide sequences of two RNA polymerase binding sites, 419
- Protein, bacteriophage T4 gene 12, structure, 349
- , receptor, reversible interaction with coliphage λ , 185
- , ribosomal S5, S11, S13, and S19, localization by electron microscopy of antibody-labeled subunits, 631
- , ribosomal S17, alteration by mutation linked to neamine resistance in *Escherichia coli*; general properties of *neaA* mutants, 795
- synthesis, *in vitro*, directed by separated transcripts of bacteriophage ϕ 1 DNA, 369
- —, mitochondrial, in mouse L-cells: effect of selective nicking of mitochondrial DNA, 777
- —, T4-directed, effects of ungraded cytosine-containing DNA produced by bacteriophage T4 in the absence of dCTPase and endonucleases II and IV, 591
- Proteinase, acid, from *Endothia parasitica*, low resolution structure analysis, 583
- Purification and structural analysis of myosins from brain and other non-muscle tissues, 1
- PURONEN, E. O. (see also OHLENDORF, D. H.), 153
-
- rA₇U₇ ribo-oligonucleotide, calorimetric and spectroscopic investigation of the helix-to-coil transition, 549
- Receptor protein-phage λ interaction, reversible, 185
- REES, D. A. (see also DARKE, A.), 477
- Replication, bidirectional, of the *Bacillus subtilis* chromosome, 347
- mechanism of ϕ X174 DNA. XII. Non-random location of gaps in nascent ϕ X174 RF II DNA, 107
- — of ϕ X174 DNA. XIII. Discontinuous synthesis of the complementary strand in an *Escherichia coli* host with a temperature-sensitive polynucleotide ligase, 125
- Restriction and modification of a self-complementary octanucleotide containing the *Eco*RI substrate, 237
- rho-mutants of *Saccharomyces cerevisiae*, use in localization of the gene coding for the mitochondrial 16 S ribosomal RNA, 203
- Ribonuclease T₁ fragment present in 18 S ribosomal RNA of Novikoff rat ascites hepatoma cells and absent from 18 S ribosomal RNA of HeLa cells, 277
- Ribonucleic acid, analysis of the template activity of bacteriophage T7 mRNAs during infection of male and female strains of *Escherichia coli*, 167
- —, effect of RNase III cleavage on translation of bacteriophage T7 mRNAs, 487
- —, evidence for covalent association with nascent DNA in human lymphocytes, 339
- —, localization of the gene coding for the mitochondrial 16 S ribosomal RNA using rho-mutants of *Saccharomyces cerevisiae*, 203
- —, messenger, of mouse myeloma cells, modified 5'-terminal sequences, 519
- —, related to isoleucine-valine metabolism, detection by ϕ 80 λ dilv phage, 353
- —, native and imported tRNA in mitochondria, 37
- — polymerase binding site sequences; bacteriophage T7 early promoters, 419
- —, precursor, conversion into rRNA affected by nucleotide alterations in bacteriophage T4 serine tRNA, 717
- —, —, large, five steps in its conversion into bacteriophage proline and serine tRNAs, 733
- —, 18 S ribosomal, of Novikoff rat ascites hepatoma cells contains a T₁ ribonuclease fragment that is not present in 18 S ribosomal RNA of HeLa cells, 277
- —, the kinetics of codon-anticodon interaction in yeast phenylalanine tRNA, 507
- —, transfer, interaction with lysine tRNA ligase from yeast, small-angle X-ray scattering study, 383
- —, of bacteriophage T4, a mutation of the wobble nucleotide, 283
- — —, proline, of bacteriophage T4, sequence derivation, 753
- RNase III cleavage, effect on translation of bacteriophage, T7 mRNAs, 487
- Ribo-oligonucleotide rA₇U₇, calorimetric and spectroscopic investigation of the helix-to-coil transition, 549
- Ribosomal proteins S5, S11, S13 and S19 localized by electron microscopy of antibody-labeled subunits, 631
- — S17 alteration by mutation linked to neamine resistance in *Escherichia coli*. I. General properties of *neaA* mutants, 795
- RNA, mitochondrial 16 S localization of the gene coding using rho-mutants of *Saccharomyces cerevisiae*, 203

Ribosomal proteins (continued)

- 18 S RNA of Novikoff rat ascites hepatoma cells contains a T₁ ribonuclease fragment that is not present in 18 S ribosomal RNA of HeLa cells, 277
- subunits, small, of *Escherichia coli*, reproducible identification of asymmetric structural features in the quasi-symmetrical view (projection), 641
- Ribosome of *Escherichia coli*, the codon binding site studied with a chemically reactive A-U-G analog, 301
- 40 S subunits, free, structure and function: characterization of initiation factors, 401
- RYMO, L. (see also ÖSTERBERG, R.), 383

Saccharomyces cerevisiae rho-mutants, use in localization of the gene coding for the mitochondrial 16 S ribosomal RNA, 203

SCHEPMAN, A. M. H. (see also KUIPER, H. A.), 619

SCHIATO, F. L., FAVRE, R., KASAI, T., CASCINO, A., GUARDIOLA, J., CARO, L. & IACCARINO, M., The $\phi 80\lambda dilv$ phage and its use to detect mRNA related to isoleucine-valine metabolism, 353

SCHWARTZ, M., Reversible interaction between coliphage lambda and its receptor protein, 185

SEIDMAN, J. G., BARRELL, B. G., & MCCLAIN, W. H., Five steps in the conversion of a large precursor RNA into bacteriophage proline and serine tRNAs, 733

— (see also MCCLAIN, W. H.), 717

Sequence derivation of bacteriophage T4 proline tRNA, 753

Sequences, modified 5'-terminal, in mRNA of mouse myeloma cells, 519

— of two RNA polymerase binding sites; bacteriophage T7 early promoters, 419

—, self-complementary, from $\phi X174$ viral DNA, isolation and characterization, 93

Sequential assembly of the major precursor of bacteriophage T4 baseplate, *in vivo* and *in vitro*, 645

Serine and proline tRNAs of bacteriophage T2 and T4, five steps in their formation from a large precursor RNA, 733

— tRNA of bacteriophage T4, nucleotide alterations affect the conversion of precursor RNA into tRNA, 717

SJÖBERG, B. (see also ÖSTERBERG, R.), 383

SLONIMSKI, P. P. (see also FAYE, G.), 203

SLUSS, R. (see also KUTTER, E.), 591

SMITH, P. J. C. (see also WINTER, W. T.), 219

Sodium hyaluronate, structure of a fully extended 3-fold helical form and comparison with the less extended 4-fold helical forms, 219

Spectroscopic and calorimetric investigation of the helix-to-coil transition of a ribo-oligonucleotide: rA₇U₇, 549

Spectrum, circular dichroism, and crystallographic data of lipase from *Geotrichum candidum* Link, 807

Stability constants, determination from small-angle X-ray scattering data and the analysis of pH-dependent macromolecular equilibria, 394

STAEHELIN, T. (see also SUNDKVIST, I. C.), 401

STENSLAND, B. (see also NORRESTAM, R.), 501

STÖFFLER, G. (see also PONGS, O.), 301

Structural analysis and purification of myosins from brain and other non-muscle tissues, 1

— features, asymmetric, reproducible identification in the quasi-symmetrical view (projection) of *Escherichia coli* small ribosomal subunits, 641

Structure analysis, low resolution, of an acid proteinase from *Endothia parasitica*, 583

— and function of free 40 S ribosome subunits: characterization of initiation factors, 401

—, crystal and molecular, of ferriichrysin: the conformation of cyclic iron-containing hexapeptides, 501

— of bacteriophage T4 gene 12 protein, 349

— contractile tail of T4 bacteriophage, three-dimensional image reconstructions, 51

— fully extended 3-fold helical sodium hyaluronate and comparison with the less extended 4-fold helical forms, 219

— hyaluronate, studies by nuclear magnetic relaxation measurements, 477

— reconstituted muscle thin filaments the effect of calcium ions, 445

STRYER, L. (see also VEATCH, W. R.), 75

STUDIER, F. W. (see also DUNN, J. J.), 487

STURTEVANT, J. M. (see also BRESLAUER, K. J.), 549

Subunit composition, X-ray diffraction, amino acid analysis and oxygen binding behavior of *Panulirus interruptus* hemocyanin, 619

- Subunits, antibody-labeled, used in localization by electron microscopy of ribosomal proteins S5, S11, S13, and S19, 631
- , small ribosomal, of *Escherichia coli*, reproducible identification of asymmetric structural features in the quasi-symmetrical view (projection), 641
- SUEOKA, N. (see also O'SULLIVAN, M. A.), 347
- SUGIHARA, A., TSUJISAKA, Y., IWAI, M., TOMINAGA, Y., OKUMURA, S., MATSUURA, Y., TANAKA, N. & KAKUDO, M., Crystallographic data and circular dichroism spectrum of lipase from *Geotrichum candidum* link, 807
- SUNDKVIST, I. C., & STAEBELIN, T., Structure and function of free 40 S ribosome subunits: characterization of initiation factors, 401
- SUYAMA, Y. (see also CHIU, N.), 37
- Symmetry and molecular arrangements in paracrystals of reconstituted muscle thin filaments, 461
- Synthesis, discontinuous, of the complementary strand of ϕ X174 DNA in an *Escherichia coli* host with a temperature-sensitive polynucleotide ligase, 125
- of DNA in human lymphocytes: intermediates in DNA synthesis, *in vitro* and *in vivo*, 317
- — protein, *in vitro*, by separated transcripts of bacteriophage ϕ 1 DNA, 369
- T₁ ribonuclease fragment present in 18 S ribosomal RNA of Novikoff rat ascites hepatoma cells and absent from 18 S ribosomal RNA of HeLa cells, 277
- T2 (see also Bacteriophage), 733
- T4 (see also Bacteriophage), 51, 283, 349, 591, 645, 673, 695, 717, 733, 753
- T7 (see also Bacteriophage), 167, 419, 487
- Tail, contractile, of T4 bacteriophage, three-dimensional image reconstructions, 51
- TANAKA, N. (see also SUGIHARA, A.), 807
- Template activity of bacteriophage T7 mRNAs during infection of male and female strains of *Escherichia coli*, 167
- 5'-Terminal sequences, modified, in mRNA of mouse myeloma cells, 519
- TICKLE, I. J. (see also JENKINS, J. A.), 583
- TINOCO, I., Jr (see also BRESLAUER, K. J.), 549
- , Jr (see also YOON, K.), 507
- TOBIAS, L. (see also GREENE, P. J.), 237
- TOMINAGA, Y. (see also SUGIHARA, A.), 807
- Transcription, symmetrical, complete, *in vivo*, of mitochondrial DNA in HeLa cells, 809
- Transfer RNA interaction with lysine tRNA ligase from yeast, small-angle X-ray scattering study, 383
- , native and imported, in mitochondria, 37
- of bacteriophage T4, a mutation of the wobble nucleotide, 283
- , phenylalanine, of yeast, the kinetics of codon-anticodon interaction, 507
- , proline and serine, of bacteriophage T2 and T4, five steps in their formation from a large precursor RNA, 733
- , proline, of bacteriophage T4, sequence derivation, 753
- , serine, of bacteriophage T4, nucleotide alterations affect the conversion of precursor RNA into tRNA, 717
- Transition, helix-to-coil, of ribo-oligonucleotide rA₇U₇, calorimetric and spectroscopic investigation, 549
- Translation of bacteriophage T7 mRNAs, effect of RNase III cleavage, 487
- Translational fidelity in *neal* mutants, 797
- TSENG, B. Y. & GOULIAN, M., DNA synthesis in human lymphocytes: intermediates in DNA synthesis, *in vitro* and *in vivo*, 317
- , Evidence for covalent association of RNA with nascent DNA in human lymphocytes, 339
- TSUJISAKA, Y. (see also SUGIHARA, A.), 807
- TU, C. (see also MURPHY, W. I.), 809
- TURNER, D. H. (see also YOON, K.), 507
- UNGARETTI, L. (see also JENKINS, J. A.), 583
- VAN BRUGGEN, E. F. J. (see also KUIPER, H. A.), 619
- VEATCH, W. R., MATHIES, R., EISENBERG, M. & STRYER, L., Simultaneous fluorescence and conductance studies of planar bilayer membranes containing a highly active and fluorescent analog of gramicidin A, 75
- VILLARROEL, R. (see also BOLLEN, A.), 795

- Viral DNA ϕ X174, isolation and characterization of self-complementary sequences, 93
- Viruses, spherical, interpretation of small-angle X-ray solution scattering, 15
- WILLIAMS, R. C. (see also KIRSCHNER, M. W.), 263
- WINTER, W. T., SMITH, P. J. C. & ARNOTT, S., Hyaluronic acid: structure of a fully extended 3-fold helical sodium salt and comparison with the less extended 4-fold helical forms, 219
- WLODAWER, A., HODGSON, K. O. & BENSCH, K., Studies of two crystal forms of L-glutaminase-asparaginase from *Acinetobacter glutaminasificans*, 295
- Wobble nucleotide mutation in bacteriophage T4 rRNA, 283
- WOLF, F. (see also FAYE, G.), 203
- Xenopus laevis*, crystalline lipoprotein-phosphoprotein complex in oocytes: determination of lattice parameters by X-ray crystallography and electron microscopy, 153
- X-ray crystallographic and electron microscopic determination of lattice parameters of crystalline lipoprotein-phosphoprotein complex in oocytes from *Xenopus laevis*, 153
- diagrams, low-angle, from skeletal muscle: the effect of AMP-PNP, a non-hydrolyzed analogue of ATP, 567
- diffraction study of three DNA fibres with different base compositions, 27
- —, subunit composition, amino acid analysis and oxygen binding behavior of *Panulirus interruptus* hemocyanin, 619
- scattering, small-angle, data, determination of stability constants and the analysis of pH-dependent macromolecular equilibria, 394
- —, small-angle, solution, from spherical viruses, 15
- —, small-angle, study of the interaction between lysine tRNA ligase from yeast and tRNA, 383
- Yeast lysine tRNA ligase, interaction with tRNA studied by small-angle X-ray scattering, 383
- phenylalanine tRNA, the kinetics of codon-anticodon interaction, 507
- YOON, K., TURNER, D. H. & TINOCO, I., JR, The kinetics of codon-anticodon interaction in yeast phenylalanine tRNA, 507
- YOUNG, E. T. & MENARD, R. C., Analysis of the template activity of bacteriophage T7 mRNAs during infection of male and female strains of *Escherichia coli*, 167
- ZINDER, N. D. (see also CHAN, T.-S.), 369

